

PRODUCT FICHE			
Comply With Energy Label Directive EU 2010/30/ EU - Regulation No 65/2014 Of Ovens According To EN 60350-1 Or EN 15181			
Comply With EU Directive 2009/125/EC - Regulation No 66/2014 According To EN 60350-1 Or EN 15181			
Brand	CREDA		
Model	C60CDOS		
Type of oven	Free Standing	X	
	Built-in	-	
Mass of the appliance (M) (net weight) kg	-		
Number of cavities	1		
Heat source per cavity	Electrical	X	
	Gas	-	
Volume per cavity (l)	64		
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy)	EC electric cavity	-	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy)	EC electric cavity	0,78	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy)	EC gas cavity	- -	MJ/cycle kWh/cycle (¹)
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy)	EC gas cavity	- -	MJ/cycle kWh/cycle (¹)
Energy efficiency index per cavity	EEI cavity	95,1	
Energy efficiency class	A		
(¹) 1 kWh/cycle = 3,6 MJ/cycle.			

PRODUCT FICHE			
Comply With Energy Label Directive EU 2010/30/ EU - Regulation No 65/2014 Of Ovens According To EN 60350-1 Or EN 15181			
Comply With EU Directive 2009/125/EC - Regulation No 66/2014 According To EN 60350-1 Or EN 15181			
Brand		CREDA	
Model		C60CDOS	
Type of oven		Free Standing	X
		Built-in	-
Mass of the appliance (M) (net weight) kg		-	
Number of cavities		2	
Heat source per cavity		Electrical	X
		Gas	-
Volume per cavity (l)		30	
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy)	EC electric cavity	0,82	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy)	EC electric cavity	-	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy)	EC gas cavity	- -	MJ/cycle kWh/cycle (¹)
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy)	EC gas cavity	- -	MJ/cycle kWh/cycle (¹)
Energy efficiency index per cavity	EEI cavity	120,6	
Energy efficiency class	B		
(¹) 1 kWh/cycle = 3,6 MJ/cycle.			

PRODUCT FICHE		
Information For Domestic Electric Hobs		
Comply With EU Directive 2009/125/EC - Regulation No 66/2014 According To EN 60350-2		
Brand	CREDA	
Model	C60CDOS	
Type of hob	Electrical	
Number of cooking zone and / or area		4
Heating technology	Radiant cooking zone	X
	Induction cooking zone	-
	Solid plates cooking zone	-
For circular cooking zones or area: diameter of useful surface area per electric heated cooking zone, rounded to the nearest 5 mm (Ø / cm)	Front left zone	15,5
	Rear left zone	18,5
	Front right zone	18,5
	Rear right zone	15,5
	Front center zone	-
	Rear center zone	-
For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area, rounded to the nearest 5 mm (L x W cm)	Front left zone	-
	Rear left zone	-
	Front right zone	-
	Rear right zone	-
	Front center zone	-
	Rear center zone	-
Energy consumption per electric cooking zone or area calculated per kg EC electric cooking (Wh / kg)	Front left zone	193,0
	Rear left zone	194,0
	Front right zone	194,0
	Rear right zone	193,0
	Front center zone	-
	Rear center zone	-
Energy consumption for the hob calculated per kg EC electric hob (Wh / kg)		193,5